



B 60 W Bp

Battery-powered walk-behind scrubber dryers in the 60 litre class with traction drive. Ideal for areas between 1000 and 2500 m^2 . With innovative KIK system and roller or disc brush head.

1 Four batteries to choose from

- Battery types: maintenance-free 105 Ah (C5), maintenance-free 170 Ah (C5) with fleece technology, maintenance-free 180 Ah (C5) or low-maintenance 180 Ah (C5).
- The built-in charger can be adjusted to the various battery types.

2 EASY Operation

- Simple to use.
- The basic functions are controlled with the EASY switch.

3 eco!efficiency mode


- For significantly reduced energy consumption and substantially longer battery runtime.
- The ecolefficiency mode is extra quiet and optimal for noise-sensitive areas (such as hospitals or hotels).

4 Traction drive

- Forward and reverse operation.
- Variable speed.

TECHNICAL DATA AND EQUIPMENT





B 60 W Bp

Technical data		
Order no.		2.384-002.0
EAN code		4039784582507
Brush working width	mm	550
Working width, vacuuming	mm	850
Fresh/dirty water tank	1	60 / 60
Rated input power	W	bis zu 2100
Weight	kg	70.1
Dimensions (L × W × H)	mm	1294 × 611 × 1146
Battery voltage	V	24
Equipment		
FACT		-
Dose		-
Traction drive		1
Tank-in-tank construction style		I
Traction motor	W	300

■ Included in the scope of supply.





























					Ouanti-			
		Order no.	Length	Colour	ty	Price	Description	
Miscellaneous								Ť
Key yellow KIK	1	5.035-344.0		yellow	1 piece(s)		User key for using the appliance	ı
Key grey KIK	2	5.035-348.0		grey	1 piece(s)		Supervisor key for using the appliance	ı
Filling hose	3	6.680-124.0	1.5 m		1 piece(s)		1,500-mm filling hose for easy device filling from a water tap. With universal tapered fitting for all standard taps.	[
KIK key set, yellow	4	4.035-408.0		yellow	5 piece(s)		Key for operators. Cannot be adjusted.	
Cover without tank flushing system complete	5	4.035-334.0	720 mm		1 piece(s)			[
Cover for tank flushing system complete	6	4.035-369.0	73 cm		1 piece(s)			[
Complete	7	4.035-370.0	18 cm		1 piece(s)		7	
Home Base accessories		l.			piece(s)			t
Home Base mop holder kit	8	4.035-374.0			1 piece(s)		The Homebase Mop kit contains mop clip, mop support and bottle holder – the perfect solution for securely carrying the mop directly on the scrubber drier.	
Home Base Box Kit	9	4.035-406.0			1 piece(s)		The Box kit provides enough space for three cleaning agent bottles along with cloths, scrapers, spare rubbish bags, gloves, etc.	
Home Base adapter	10	5.035-488.0			1 piece(s)		Fastener for various hooks and clips on the machine.	[
Double hook	11	6.980-077.0			1 piece(s)		Double hook for attaching rubbish bags, etc. to the machine Only for use with the Homebase adapter 5.035-488.0.	i. [
Holder handhold grey	12	6.980-078.0			1 piece(s)		Mop clip for attaching a mop to the machine. Only for use with the Homebase adapter 5.035-488.0.	
Bottle holder	13	6.980-080.0			1 piece(s)		Suitable for transporting spray bottles – only in conjunction with Home Base adapter 5.035-488.0.	1
Universal hook kit	14	4.070-075.0			1 piece(s)		Hook and adaptor kit for attachment to the Home Base rail scrubber drier by Kärcher. Ideal for space-saving storage of hoses (for example, spray suction attachment kit) on the machine.	[
Wheels/tyres		1					1	Ė
Sports hall attachment kit	15	4.744-162.0			1 piece(s)		Reduces floor loading to < 0.5 N/mm², in accordance with DIN 18032.	[
Dosing aids								Ţ
DS 3 Cleaning Agent Dosing Station	16	2.641-811.0			1 piece(s)		After connecting to a tap, cleaning agent can be filled into the fresh water tank and diluted as required. Can also be used with the filling system attachment kit. Includes backflow preventer (DIN EN 1717).	

 $[\]blacksquare$ Included in the scope of supply. $\hfill\Box$ Available accessories.



















		Order no.	Hardness / Brush type	Length	Colour	Quanti- ty	Price	Description	
Roller brushes						·		'	
Roller brush	1	6.906-977.0	soft	532 mm	White	1 piece(s)		Soft, for cleaning sensitive surfaces and for polishing. Fits on R 55.	
	2	6.906-934.0	medium	532 mm	red	1 piece(s)		Medium, for all floors. Standard with R 55.	
	3	6.907-413.0	medium	532 mm	red	1 piece(s)			
	4	6.906-978.0	high / low	532 mm	orange	1 piece(s)		Medium hard, for cleaning strong structured floors and deeper joints. Fits R 55.	
	5	6.906-979.0	hard	532 mm	green	1 piece(s)		Hard, for heavy soilings und for deep cleaning; for unsensitive floors only. Fits R 55.	
	6	6.906-980.0	very hard	532 mm	black	1 piece(s)		Very hard, for extremely sticky dirt and for deep cleaning; for unsensitive surfaces only. Fits R 55.	
	7	6.906-981.0	soft	638 mm	White	1 piece(s)		Soft, for cleaning sensitive surfaces and for polishing. Fits on R 65.	
	8	6.906-935.0	medium	638 mm	red	1 piece(s)		Roller brush, medium-hard, red. Length: 638 mm.With wear-resistant star-wheel mechanism. For normal use. Bris-	
	9	6.907-414.0	medium	638 mm	red	1 piece(s)		tles: Polypropylene, 0.5 mm thick, 20 mm long.	
	10	6.906-982.0	high / low	638 mm	orange	1 piece(s)		Medium hard, for cleaning strong structured floors and deeper joints. Fits R 65.	
	11	6.906-983.0	hard	638 mm	green	1 piece(s)		Roller brush, hard, green. Length: 638 mm.Wear-resistant star-wheel mechanism. For heavily soiled floors and basic cleaning. Bristles: Polyamide with silicon carbide, 0.6 mm thick, 20 mm long.	
	12	6.906-984.0	very hard	638 mm	black	1 piece(s)		Very hard, for extremely sticky dirt and for deep cleaning; for unsensitive surfaces only. Fits R 65.	

[■] Included in the scope of supply.

[☐] Available accessories.















		Order no.	Hardness / Brush type	Length	Diame- ter	Colour	Price	Description	
Pad roller shaft									
Pad roller shaft	1	4.762-432.0		532 mm				Roller pad shaft, aluminium For roller pads or microfibre rollers, length 532 mm. Fits brush head R 55.	
	2	4.762-433.0		638 mm				Roller pad shaft, aluminium For roller pads or microfibre rollers, length 638 mm. Fits brush head R 56.	
Roller pads									
Roller pad	3	6.369-454.0	soft		105 mm	yellow		Roller pads (x20) soft, yellow. For polishing and cleaning non-structured floors. Suitable for use with appropriate pad roller shaft.	
	4	6.369-456.0	medium		105 mm	red		Roller pads (x20), medium, red. For cleaning non-structured floors. Suitable for use with appropriate pad roller shaft. About 7 to 7.5 pads are required per 10 cm shaft length.	
	5	6.369-455.0	hard		105 mm	green		Roller pads (x20), hard, green. For removing stubborn dirt and basic cleaning of non-structured floors. Suitable for use with appropriate pad roller shaft.	
Microfibre shaft									
Microfibre roller	6	4.114-005.0	microfibre	532 mm	105 mm	light green		World innovation: application of microfibre rollers combines the excellent cleaning properties of microfibres with the benefits of the roller brush technology. Combined with roller pad shaft 4.762-432.0. Fits on R 55.	П
	7	4.114-006.0	microfibre	638 mm	105 mm	light green		World innovation: application of microfibre rollers combines the excellent cleaning properties of microfibres with the benefits of the roller brush technology. Combined with roller pad shaft 4.762-433.0. Fits on R 65.	П

 $[\]blacksquare$ Included in the scope of supply. \qed Available accessories.















		Order no.	Hardness / Brush type	Diameter	Colour	Quanti- ty	Price	Description	
Disc brushes		1		_					
Disc brush	1	4.905-015.0	very soft	300 mm	White	1 piece(s)		very soft, white, for cleaning sensitive surfaces and for polishing; fits D 55	
	2	4.905-016.0	soft	300 mm	natural	1 piece(s)		Made of natural fibres, for spray cleaning and for polishing. Fits D 55.	
	3	4.905-014.0	medium	300 mm	red	1 piece(s)		Disc brush, medium-hard, red, 300 mm diameter. For normal use. Also suitable for sensitive floors. Standard for brush head D 55.	
	4	4.905-017.0	hard	300 mm	black	1 piece(s)		Hard, for heavy soilings und for deep cleaning. For unsensitive floors only. Fits D 55.	
	5	4.905-011.0	very soft	355 mm	White	1 piece(s)		Disc brush, very soft, white, 355 mm diameter. For cleaning sensitive floors and polishing. Fits brush head D 65. Bristle length: 41 cm.	
	6	4.905-012.0	soft	355 mm	natural	1 piece(s)		Made of natural fibres, for spray cleaning and for polishing. Fits D 65.	
	7	4.905-010.0	medium	355 mm	red	1 piece(s)		Disc brush, medium-hard, red, 355 mm diameter. For normal use. Also suitable for sensitive floors. Standard brush head D 65.	
	8	4.905-013.0	hard	355 mm	black	1 piece(s)		Hard, for heavy soilings und for deep cleaning. For unsensitive floors only. Fits D 65.	

[■] Included in the scope of supply.

Available accessories.





















		Order no.	Hardness / Brush type	Diameter	Colour	Quanti- ty	Price	Description	
Microfibre pad									
Microfibre pad	1	6.369-959.0	microfibre	356 mm	White	5 piece(s)		5 microfibre pads, white With centre hole, 356 mm diameter. Excellent cleaning power. Also effectively cleans fine stoneware tiles. Suitable for, e.g. D 65.	
Pads									
Pad	2	6.369-003.0	medium-soft	356 mm	red	5 piece(s)		5 pads, medium-soft, red, 356 mm diameter. For cleaning al floors. Suitable for, e.g. D 65.	¹ 0
	3	6.369-002.0	medium-hard	356 mm	green	5 piece(s)		5 pads, medium-hard, green. 356 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 65.	
	4	6.369-001.0	hard	356 mm	black	5 piece(s)		5 pads, hard, black, 356 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 65.	
	5	6.371-153.0	medium-soft	280 mm	red	5 piece(s)		5 pads, medium-soft, red, 280 mm diameter. For cleaning al floors. Suitable for, e.g. D 55.	□
	6	6.371-154.0	medium-hard	280 mm	green	5 piece(s)		5 pads, medium-hard, green. 280 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 55.	
	7	6.371-155.0	hard	280 mm	black	5 piece(s)		5 pads, hard, black, 280 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 55.	
Pad drive board									
Pad drive board	8	4.762-445.0		280 mm		1 piece(s)		Pad driver plate for cleaning with pads, 280 mm diameter. With quick-change coupling, hook plate and centre lock. Suitable for, e.g. D 55.	
	9	4.762-446.0		335 mm		1 piece(s)		Pad driver plate for cleaning with pads, 335 mm diameter. With quick-change coupling, hook plate and centre lock. Suitable for, e.g. D 65.	
Diamond pad				•					
Diamond pad	10	6.371-250.0	coarse	356 mm	White	5 piece(s)		For coarse cleaning/restoring. Removes small scratches, for a clean, silky matt surface. For surface preparation prior to	
	11	6.371-246.0	coarse	280 mm	White	5 piece(s)		using the yellow pad. Also suitable as a crystallisation pad for basic crystallisation.	
	12	6.371-251.0	medium	356 mm	yellow	5 piece(s)		For coarse cleaning/restoring. Removes fine scratches for a more homogeneous and shinier surface. For surface preparation prior to using the green diamond pad. Also suitable as a crystallisation pad for high-gloss crystallisation.	s
	13	6.371-247.0	medium	280 mm	yellow	5 piece(s)		For coarse cleaning/restoring. Removes fine scratches for a more homogeneous and shinler surface. For surface preparation prior to using the green diamond pad.	
	14	6.371-235.0	fine	356 mm	green	5 piece(s)		For effortless polishing of laminated floors, terrazzo and natural stone surfaces. For maintenance cleaning after using	,
	15	6.371-233.0	fine	280 mm	green	5 piece(s)		white and yellow pads. As a crystallisation pad for high- gloss crystallisation.	

[■] Included in the scope of supply.

Available accessories.



















		Order no.	Length	Colour	Quanti- ty	Price	Description	
Squeegee, complete								L,
Squeegee	1	4.777-401.0	850 mm	transparent	1 piece(s)		Straight, with support rollers. Suction lips of oil-resistant, transparent polyurethane.	
	2	4.777-402.0	940 mm	transparent	1 piece(s)			
	3	4.777-411.0	850 mm	transparent	1 piece(s)		Curved, with support rollers. Suction lips of oil-resistant, transparent polyurethane.	
	4	4.777-412.0	940 mm	transparent	1 piece(s)			
V-squeegee	5	4.777-079.0	900 mm	transparent	1 piece(s)		900 mm-long, V-shaped squeegee with suction lips made from wear- and oil-resistant polyurethane with a long life-time and for all floors. With spirit level for precise adjustment.	
Squeegees for suction bars								
Suction lips	6	6.273-207.0	890 mm	transparent	2 -part		Standard, grooved, oil-resistant.	
	7	6.273-229.0	890 mm	transparent	2 -part		Slotted, oil-resistant, polyurethane, for sensitive floors.	
	8	6.273-213.0	890 mm	blue	2 -part		Fluted, standard, natural rubber.	
	9	6.273-290.0	890 mm	transparent	2 -part		Closed, oil-resistant, for structured floors.	
	10	6.273-208.0	960 mm	transparent	2 -part		Standard, grooved, oil-resistant.	
	11	6.273-205.0	960 mm	transparent	2 -part		Slotted, oil-resistant, for sensitive floors.	
	12	6.273-214.0	960 mm	blue	2 -part		Grooved, natural rubber.	
	13	6.273-291.0	960 mm	transparent	2 -part		Closed, oil-resistant, for structured floors.	
Suction lips for V-squeegee	14	6.273-023.0	1010 mm	transparent	2 -part		Suction lip set, fluted and developed for V-shaped squee- gees with length of 900 mm. The suction lips are made of wear- and oil-resistant polyurethane and are suitable for al floors.	

[■] Included in the scope of supply.

Available accessories.

















		Ordovno		Price	Description
		Order no.		Price	Description
Brush heads Brush head R 55	1	2.763-002.0			Brush-head with 2 roller brushes and a working width of 55 cm. Brush change without tools. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head is packed separately.
Brush head D 55	2	2.763-001.0			Brush-head with 2 disc brushes, brush-quick-change and a working width of 55 cm. The side splash guards are adjustable in the height. So the water will be kept under the brushhead. The cleaning solution will be run optimally to the squeegee: Packed separately.
Brush head R 65	3	2.763-004.0			Brush-head with 2 roller brushes and a working width of 65 cm. Brush-change without tools. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head is packed separately.
Brush head D 65	4	2.763-003.0			Brush-head with 2 disc brushes, brush-quick-change-system and a working width of 65 cm. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head packed separately.
Floor head S 65	5	2.763-030.0			Floor head with cleaning pad for restoring shine on hard and resilient floors. Constant contact pressure on the entire pad surface. Also cleans edges and in corners.
Connection kit S 65	6	4.036-063.0			Connection kit for connecting the S 65 floor head to the new generation of B 60 W and B 80 W.
Brush head D 65 R	7	2.763-039.0			Brush head with disc engineering. Ideal for use in supermar- kets, for example. Very low deck. Height-adjustable bumper disc. Surrounding splash guard.

[■] Included in the scope of supply.

Available accessories.









		,		_				
		Order no.	Length	Diameter	Quanti- ty	Price	Description	
Other attachment kits								
Suction hose accessories	1	4.444-015.0	3.25 m		1 piece(s)		For vacuuming water out of corners or containers (e.g. freezers).	
Auto-Fill	2	4.035-345.0			1 piece(s)		Automatic filling system. Water supply automatically stops when the tanks is full. With safety overflow.	
Spray extraction mounting kit				•				
Spray suction attachment kit	3	2.642-833.0			1 piece(s)		Simplifies cleaning areas inaccessible for machines.	

[■] Included in the scope of supply.

□ Available accessories.









		Order no.	Quantity	Battery voltage	Battery capaci- ty	Battery type	Price	Description
Batteries								
Battery kit	1	4.035-388.0	4 -part	24 V	170 Ah	Mainte- nance- free		Maintenance-free battery set consisting of 4x 6-V batteries with fleece technology and connecting cables.
	2	4.035-387.0	4 -part	24 V	180 Ah	Mainte- nance- free		Maintenance-free battery set consisting of 4x 6-V batteries and connecting cables.
	3	4.035-440.0	4 -part	24 V	180 Ah			
	4	4.035-373.0		24 V	105 Ah			Maintenance-free battery set consisting of 2x 12-V batteries and connecting cables. \Box
Battery and charger kits								
Quick charger set V 24 V / 164 Ah	5	2.642-558.0	1 piece(s)	24 V	164 Ah	Mainte- nance- free		Battery set with maintenance-free batteries, connection cable and charger. Designed for quick interim charges with a charging time of < 3 h. Ideal for multiple shift operation.
Accessories for batteries								
Spacer	6	4.642-019.0	1 piece(s)					Fits quick charger set 2.642-558.0. Prevents the battery from slipping into the machine. \Box

 $[\]blacksquare$ Included in the scope of supply. \qed Available accessories.





		Order no.	Quantity	ID	Width	Length	Price	Description	
Other		Order no.	Qualitity	ID	witti	Length	FIICE	Description .	
Cleaning agent container, complete	1	4.070-006.0	1 piece(s)					Kit consisting of cleaning agent container and Home Base adapter. For connecting Home Base Rail.	

[■] Included in the scope of supply.

□ Available accessories.